



LION ARMOR GROUP LIMITED

E-mail: info@lion-armor.com/ sales@lion-armor.com

Phone: +86-10-53687600

Mobile: +86 18810308121

Sales Office: Beijing, China

Manufactures: Anhui/Hebei, China

www.labodyarmor.com

LION ARMOR GROUP LIMITED is one of the cutting-edge body armor enterprises in China. Since 2005, the company's predecessor firm has been specializing in producing UHMWPE material. As a result of all the members efforts in long professional experience and development in this area, LION ARMOR was founded in 2016 for various kinds of body armor products.

Nowadays, the group company has 3 manufacturers located in Anhui and Hebei provinces with nearly 400 employees. LION ARMOR is proud to be recognized as a leading manufacturer of body armor and occupies over half of the Chinese domestic police and security professionals market. In 2020, LION ARMOR became one of the main qualified Chinese Military PE material suppliers. In the same year, we started our oversea department to create our global cooperation for high-quality and safe body armor in the world.

Not only has LION ARMOR offered excellent capacity, but the company always persists in innovating products and welcome OEM and ODM. The helmet accessories and anti-riot suits are all produced by our own manufacturer in Hebei Province. The full production line ensures the company adheres to the direction of innovation and customization.

LION ARMOR created a lot of "Earliest" and "Unique" in bulletproof production market in China.

The helmets against AK steel core for 100m/50m/15m

The full-protection helmet




The stack-able bulletproof vest

The quick-release anti riot suit

The earliest use of laser cutting machines for helmets/plates/shields

The global security situation has deteriorated markedly as political and social unrest has spread across many regions. We understand that protecting military, law enforcement officers, or civilians today is a greater challenge than ever.

We will do what we could to protect all the people with love and safety. We supply solutions and long cooperation terms, not only products



LION ARMOR has passed ISO 9001:2015, BS OHSAS 18001:2007, ISO 14001:2015 and other related qualifications. The quality of our products is stable and reliable and has been tested by world-famous laboratories.

PASGT



- P MATERIAL**
PE/Aramid
- A PERFORMANCE**
NIJ 0101.04 or NIJ 010.06 IIIA, V50≥650m/s
- S SUSPENSION**
4 points mesh/leather/PU suspension
- G COLOR**
Black, OD Green, Ranger Green, Coyote, Sandy, Muddy, Camouflage
- T CUSTOMIZATION**
Boltless configurations/ Tactical with rails or shroud/ Liner and adjustment could be replaced with other system. Accessories are self-produced products, welcome for customization

MICH



- M MATERIAL**
PE/Aramid
- I PERFORMANCE**
NIJ 0101.04 or NIJ 010.06 IIIA, V50≥650m/s
- C SUSPENSION**
7 Pads with X-Nape adjustment suspension
- H COLOR**
Black, OD Green, Ranger Green, Coyote, Sandy, Muddy, Camouflage
- CUSTOMIZATION**
Liner and adjustment could be replaced with other system. Accessories are self-produced products, welcome for customization

PROTECT LEVEL	SIZE	MATERIAL	CIRCUMFERENCE (cm)	SIZE L*W*H(±3mm)	THICKNESS (mm)	WEIGHT (kg)
NIJ IIIA 9mm	M	PE	54-58	268×243×170	8.0±0.2	1.25±0.05
	S		54-56	255×235×165	9.4±0.2	1.25±0.05
	M		56-58	270×245×175	9.4±0.2	1.35±0.05
NIJ IIIA .44	L	PE	58-60	285×254×180	9.4±0.2	1.43±0.05
	XL		60-62	300×270×185	9.4±0.2	1.5±0.05
	S		53-57	255×233×170	7.7±0.2	1.40±0.05
NIJ IIIA 9mm/.44	M	Aramid	56-60	267×242×176	7.7±0.2	1.45±0.05
	L		59-64	282×256×180	7.7±0.2	1.50±0.05

PROTECT LEVEL	SIZE	MATERIAL	CIRCUMFERENCE (cm)	SIZE L*W*H(±3mm)	THICKNESS (mm)	WEIGHT (kg)
NIJ IIIA 9mm	M	PE	54-58	268×243×170	8.0±0.2	1.25±0.05
	S		54-56	255×235×165	9.4±0.2	1.25±0.05
	M		56-58	270×245×175	9.4±0.2	1.35±0.05
NIJ IIIA .44	L	PE	58-60	285×254×180	9.4±0.2	1.43±0.05
	XL		60-62	300×270×185	9.4±0.2	1.5±0.05
	S		53-57	255×233×170	7.7±0.2	1.40±0.05
NIJ IIIA 9mm/.44	M	Aramid	56-60	267×242×176	7.7±0.2	1.45±0.05
	L		59-64	282×256×180	7.7±0.2	1.50±0.05

05

BALLISTIC HELMET

BALLISTIC HELMET

06

FAST

F MATERIAL
PE/Aramid

A PERFORMANCE
NIJ 0101.04 or NIJ 010.06 IIIA, V50≥650m/s

S SUSPENSION
4 points mesh/leather/PU suspension

T COLOR
Black, OD Green, Ranger Green, Coyote, Sandy, Muddy, Camouflage

CUSTOMIZATION
Liner and adjustment could be replaced with other system. Accessories are self-produced products, welcome for customization



AK

A MATERIAL
PE

K PERFORMANCE
AK lead core 15m/50m/100m
AK steel core 100m

SUSPENSION
7 Pads with knob adjustment suspension

COLOR
Black, OD Green, Ranger Green, Coyote, Sandy, Muddy, Camouflage

CUSTOMIZATION
Liner and adjustment could be replaced with other system. Accessories are self-produced products, welcome for customization



BALLISTIC LEVEL	SIZE	MATERIAL	CIRCUMFERENCE (cm)	SIZE L*W*H(±3mm)	THICKNESS (mm)	WEIGHT (kg)
NIJ IIIA-9mm	XL	PE	57-60	273×215×155	8.0±0.2	1.35±0.05
			60-63	275×220×160	8.0±0.2	1.40±0.05
NIJ IIIA--44	L	Aramid	57-60	275×218×158	9.4±0.2	1.50±0.05
NIJ IIIA 9mm/.44	L		54-59	270×214×177	8.0±0.2	1.55±0.05
	XL		59-64	277×228×180	8.0±0.2	1.60±0.05

BALLISTIC LEVEL	SIZE	CIRCUMFERENCE (cm)	SIZE L*W*H(±3mm)	THICKNESS (mm)	WEIGHT (kg)
AK 100m	M	54-58	284×254×185	18±0.2	2.45±0.05
	L	58-62	292×265×190	18±0.2	2.50±0.05
AK 50m	M	54-58	284×254×185	18±0.2	2.45±0.05
	L	58-62	292×265×190	18±0.2	2.45±0.05
AK 15m	M	54-58	284×254×185	18±0.2	2.45±0.05
	L	58-62	292×265×190	18±0.2	2.45±0.05



STANDARD VEST

LAV-SV serial

Suit for soft/hard armor. Protection area: Front and rear. Can be customized.



LAV-SV01



LAV-SV02



LAV-SV03



LAV-SV04



LAV-SV05



LAV-SV06



LAV-SV07



LAV-SV08



LAV-SV09

TACTICAL PLATE CARRIER

LAV-PC serial

Suit for hard armor to improve the ballistic level of front and rear. Can be customized.



LAV-PC01



LAV-PC02



LAV-PC03



LAV-PC04



LAV-PC05



LAV-PC06



LAV-PC07



LAV-PC08



LAV-PC09

FULL PROTECTION VEST

LAV-FV serial

Protection area: Full protection (Front, Rear, Optimal accessories are collar/throat/shoulder/bicep/groin/thigh). Can be customized.



LAV-FV01



LAV-FV02



LAV-FV03



LAV-FV04



LAV-FV05



LAV-FV06



LAV-FV07



LAV-FV08



LAV-FV09

PE - NIJ IIIA/III



LA2530-A3P-1

Ballistic Level: NIJ 0101.04/06 IIIA SA
Material: PE
Size: 250*300mm +/-5mm
Weight: 0.50±0.05 kg
Single curved with upper corner cut
Finishing: Fabric/PU
Thickness: 8+/-2mm
Can be customized



LA2530-3MP-1

Ballistic Level: NIJ 0101.04/06 III SA
Material: PE
Size: 250*300mm +/-5mm
Weight: 1.45±0.05 kg
Single curved with upper corner cut
Finishing: Fabric/PU
Thickness: 22+/-2mm
Can be customized



LA2530-3MP-2

Ballistic Level: NIJ 0101.04/06 III SA
Material: PE
Size: 250*300mm +/-5mm
Weight: 1.30±0.05 kg
Single curved with upper corner cut
Finishing: Fabric/PU
Thickness: 27+/-2mm
Can be customized

CERAMIC+PE - NIJ III/III+



LA2530-3SA-3

Ballistic Level: NIJ 0101.04/06 III/III+ SA
Material: AL2O3+PE
Size: 250*300mm +/-5mm
Ceramic Size: 200*250mm
Weight: 2.35±0.05 kg
Single curved with upper corner cut
Finishing: black fabric
Thickness: 20+/-2mm
Can be customized



LA2530-3SS-3

Ballistic Level: NIJ 0101.04/06 III/III+ SA
Material: SIC+PE
Size: 250*300mm +/-5mm
Ceramic Size: 200*250mm
Weight: 2.0±0.05 kg
Single curved with upper corner cut
Finishing: black fabric/PU
Thickness: 20+/-2mm
Can be customized



CERAMIC+PE - NIJ IV SA



LA2530-4SA-3

Ballistic Level: NIJ 0101.04/06 IV SA
Material: AL₂O₃+PE
Size: 250*300mm +/-5mm
Ceramic Size: 200*250mm
Weight: 2.85±0.05 kg
Single curved with upper corner cut
Finishing: black fabric
Thickness: 24+/-2mm
Can be customized



LA2530-4SS-3

Ballistic Level: NIJ 0101.04/06 IV SA
Material: SIC+PE
Size: 250*300mm +/-5mm
Ceramic Size: 200*250mm
Weight: 2.50±0.05 kg
Single curved with upper corner cut
Finishing: black fabric
Thickness: 24+/-2mm
Can be customized



LA2530-4SS-4

Ballistic Level: NIJ 0101.04/06 IV SA
Material: SIC+PE
Size: 250*300mm +/-5mm
Ceramic Size: 200*250mm
Weight: 2.65±0.05 kg
Multi curved with upper corner cut
Finishing: black fabric
Thickness: 22+/-2mm
Can be customized

CERAMIC+PE - NIJ IV ICW



LA2530-4IA-3

Ballistic Level: NIJ 0101.04/06 IV ICW
Material: AL₂O₃+PE
Size: 250*300mm +/-5mm
Ceramic Size: 200*250mm
Weight: 2.70±0.05 kg
Single curved with upper corner cut
Finishing: black fabric
Thickness: 22+/-2mm
Can be customized



LA2530-4IS-3

Ballistic Level: NIJ 0101.04/06 IV ICW
Material: SIC+PE
Size: 250*300mm +/-5mm
Ceramic Size: 200*250mm
Weight: 2.35±0.05 kg
Single curved with upper corner cut
Finishing: black fabric
Thickness: 22+/-2mm
Can be customized





BALLISTIC SHIELD - N1

1. Size: 900×500 (mm)
2. Protection Level : NIJ IIIA 9mm&.44
3. Material: PE
4. Weight: ≤ 5.0 kg
5. Protection Area: ≥0.45m²
6. Observation window size can be customized



BALLISTIC SHIELD - N2

1. Size: 900×500 (mm)
2. Protection Level: NIJ III M80/AK
3. Material: PE
4. Weight: ≤10.0kg
5. Protection Area: ≥0.45m²
6. Observation window size can be customized




BALLISTIC SHIELD- CUSTOMIZED SHAPE

1. Size: 800×500 (mm)
2. Protection Level : NIJ IIIA 9mm&.44
3. Material: PE
4. Weight: ≤3.2kg
5. Protection Area: ≥0.35m²



FLASHING BALLISTIC SHIELD

All above shields can add flashing light



FOLDABLE BALLISTIC SHIELD

1. The shield can be folded and unfolded. In order to adapt to the tactical action in the narrow space.
2. The gun stock bracket is in the middle position for alternately operating the gun.
3. Protection Level: NIJ IIIA 9mm&.44
4. Material: PE
5. Weight: ≤5.6kg
6. Unfolded size: 550*800mm, Folded size: 350*800mm



HIGH LEVEL DEFENSE BALLISTIC SHIELD-1

1. The shield is made of UHMWPE material and SIC ceramic material, covered with PU coating.
2. Bulletproof level: NIJ0101.04 or NIJ0101.06 LEVEL IV
3. Size: 500*800mm
4. Weight: 19kg
5. With attachable flashing light by using velcro to attach on the shield.
6. Customized for level III/III+ and different size and shape.



HIGH LEVEL DEFENSE BALLISTIC SHIELD-2

1. The shield is made of UHMWPE material and SIC ceramic material, covered with PU coating.
2. Bulletproof level: NIJ0101.04 or NIJ0101.06 LEVEL IV
3. Size: 500*900mm
4. Weight: 20kg
5. With flashing light and observation window
6. Customized for level III/III+ and different size and shape.



HIGH LEVEL DEFENSE BALLISTIC SHIELD -3



1. The shield is made of UHMWPE material, covered with PU coating. With base bracket and wheels, it is easy to move and suitable for police, army, anti-terrorist troops.
2. Bulletproof level: NIJ0101.04 or NIJ0101.06 LEVEL III++
3. Size: 600*1200mm
4. Weight: 16kg (Wheels: 3.5kg)
5. Observation window can be customized
6. Customized for level IV and different size and shape.

LION ARMOR has a complete industrial supply chain from raw materials to diversify body armor products.

To further optimize the Group's industrial structure, 2 new UD production lines were opened in 2022. The factory has totally 4 automated UD fabric production lines thus far. Bulletproof materials are available in a wide range of area densities including UD material for soft armor and hard armor. Available in standard, mid-range, and high-end ballistic protection materials.

We supply: 50gsm/110gsm/130gsm/140gs/160gsm/210gsm PE UD fabrics

PE UD can be customized, contact us for more information.



This riot suit is specifically designed to cover and protect the torso of law enforcement officers working in harsh environments.



LA-ARS-S1

The anti-riot suit consists Upper body part / Elbow and arm protector / Belt and thigh protector / calf and foot protector / Gloves.

The chest, back and groin protector are composed of Buffer layer and protective layers, which is made of 2.4mm hard military standard alloy plate. The rest of the parts are made of 2.5mmPC engineering plastics and soft energy absorbing materials.

Height	Free size, Height: 165- 190cm
Weight	≤5.0kg
Impact resistant	120J
Strike Energy Absorption	100J
Stab Resistant	≥25J
Temperature	-30°C~55°C
Fire resistant	V0

The flexible, lightweight, full-coverage panels can be adjusted to fit perfectly and protect the user from any level of threat of violence.



LA-ARS-H1

The anti-riot suit consists Upper body part / Elbow and arm protector / Belt and thigh protector / calf and foot protector / Gloves.

The chest and groin protection are made of 6mm PC engineering plastics. The back is made of 2.4mm hard military standard alloy plate. The rest of the parts are made of 2.5mmPC engineering plastics and soft energy absorbing materials.

Height	Free size, Height: 165- 190cm
Weight	≤5.0kg
Impact resistant	120J
Strike Energy Absorption	100J
Stab Resistant	≥25J
Temperature	-30°C~55°C
Fire resistant	V0



ANTI RIOT BATON

The T-shaped baton is made of ABS, which is light and durable. The appearance of T-shaped baton is smooth, without obvious bending, scratch and other defects. Product performance: with 5m/s±0.5m/s linear speed hit 50mm rubber pad 5000 times, the baton should not produce obvious deformation after the test.

Length: 60 cm Diameter: 32 mm
Material: ABS Weight: 610g
Color: Black



ANTI RIOT HELMET

Anti riot helmet use by police or army to protector their head from ston or baton hit. The helmet use high quality ABS material to make, give good protector, also the face shield use PC to make, also give good protector.

Name: Anti riot helmet Weight: 1.8kg
Made with: ABS Color: Black
Visor: 2.0PC and steel net Other: Neck protector



ANTI RIOT SHIELD

Anti riot shield refers to a defensive device similar to a medieval shield used by armed police, riot police or riot troops. It's used to push the opponent and protect yourself in the process of riot suppression. It can resist hard objects, blunt objects, and Attacks from unknown liquids can also withstand low-speed bullets.

Name: Anti riot shield Thickness: 3.5mm
Made with: PC Color: White
Size: 900*500mm Weight: 2.8kg
Handle: ABS

BALLISTIC OF VISOR



FOR PASGT AND MICH HELMET

- 1.Material: transparent layered polymer material
- 2.Light percentage: ≥ 80% view: ≥ 105 degrees.
- 3.Bulletproof protection: NIJ 0108.01 9mm/.44 1 or 2 shot
- 4.V50: STANAG 2920 ≥700m/s
- 5.Weight: ≤1450 g



FOR TACTICAL MICH AND FAST HELMET

- 1.Material: transparent layered polymer material
- 2.Light percentage: ≥ 80% view: ≥ 105 degrees.
- 3.Bulletproof protection: NIJ 0108.01 9mm/.44 1 or 2 shot
- 4.V50: STANAG 2920 ≥700m/s
- 5.Weight: ≤1400 g



HELMET ACCESSORIES

	USED FOR HELMET	Serial No.	SPECIFICATION	PHOTOS For more detail photos, please contact our salers team.
Suspension/ Retention	PASGT	LAA-SP-1	<ol style="list-style-type: none"> PU headband with corwn mesh and pad double layers suspension. Webbing material: PP (can change to polyester). Chin material: PVC. Suit for S/M/L/XL. Prefrontal foramen size need double check before placing orders. 6. 4 point suspension, with 4 sets screws and nuts: Length :15.5mm. Salt spray resistance test: more than 5 years. 7. Color: Black 	
		LAA-SP-2	<ol style="list-style-type: none"> First cow leather headband with corwn mesh and pad double layers suspension. Webbing material: PP (can change to polyester). Chin material: PVC. Suit for S/M/L/XL. Prefrontal foramen size need double check before placing orders. 6. 4 point suspension, with 4 sets screws and nuts: Length :15.5mm. Salt spray resistance test: more than 5 years . 7. Color: Black 	
	PASGT / MICH	LAA-SP-3	<ol style="list-style-type: none"> H type nape pad suspension. Webbing material: Cotton blend . Chin material: Double-sided chin cup with webbing and cow suede. Buckles material: High performance PA polymer with glass-fiber. Suit for S/M/L/XL. 6. 4 point suspension, with 4 sets screws and nuts: Length :15.5mm without rails/25mm with rails. Salt spray resistance test: more than 5 years. 7. Color: Black 	
		LAA-SP-4	<ol style="list-style-type: none"> X type nape pad suspension. Webbing material: Cotton blend. Chin material: Double-sided chin cup with webbing and cow suede. Buckles material: High performance PA polymer with glass-fiber. Suit for S/M/L/XL. 6. 4 point suspension, with 4 sets screws and nuts: Length :15.5mm without rails/25mm with rails. Salt spray resistance test: more than 5 years. 7. Color: Black 	
	FAST	LAA-SP-5	<ol style="list-style-type: none"> Common FAST fit adjustable suspension. Rubber dial (Rubber coating and inner copper material) . Webbing material: Polyester. Chin material: Double-sided chin cup with webbing and cow suede. Buckles material: High performance PA polymer with glass-fiber. Suit for S/M/L/XL. 7. 4 point suspension, with 4 sets screws and nuts: Length: 25mm with rails. Salt spray resistance test: more than 5 years Suspension. 8. Four colors: Black/Sandy/Ranger Green/Coyote 	
	PASGT / MICH / FAST	LAA-SP-6	<ol style="list-style-type: none"> Dial fit adjustable suspension. BOA OEM manufacture, design of the dial is different from original version. Fit and fastern in one direction and immidiately release. Webbing material: Polyester. Chin material: Double-sided chin cup with webbing and cow suede. Buckles material: High performance PA polymer with glass-fiber. Suit for S/M/L/XL. 7. 4 point suspension, with 4 sets screws and nuts: Length: 25mm with rails. Salt spray resistance test: more than 5 years Suspension. 8. Four colors: Black/Sandy/Ranger Green/Coyote 	
	PASGT / MICH / FAST	LAA-SP-7	Orginal BOA Fit system. MOQ 1000pcs	
Shroud	PASGT / MICH / FAST	LAA-SR-1	<ol style="list-style-type: none"> NVG Shroud material: Aluminum (Die Casting), Srong and Lightweight. The shroud is compitibly fit all standard NVG mounts Standard 3 holes design, with 3 sets screws and nuts: Length: 15.5mm. Salt spray resistance test: more than 5 years Suspension. Suitable for bungees Four colors: Black/Sandy/Ranger Green/Coyote 	
		LAA-SR-2	<ol style="list-style-type: none"> NVG Shroud material: Aluminum (Die Casting), Srong and Lightweight. The shroud is compitibly fit all standard NVG mounts Standard 3 holes design, with 3 sets screws and nuts: Length: 15.5mm. Salt spray resistance test: more than 5 years Suspension. Suitable for bungees Four colors: Black/Sandy/Ranger Green/Coyote 	
		LAA-SR-3	<ol style="list-style-type: none"> NVG Shroud material: Durable PA polymer and aluminum base (Carved). The shroud is compitibly fit all standard NVG mounts Standard 3 holes design, with 3 sets screws and nuts: Length: 15.5mm. Salt spray resistance test: more than 5 years Suspension. Suitable for bungees Design same as second generation of TEAM WENDY. Four colors: Black/Sandy/Ranger Green/Coyote 	
		LAA-SR-4	<ol style="list-style-type: none"> NVG Shroud material: Durable PA polymer and aluminum base (Carved). The shroud is compitibly fit all standard NVG mounts Standard 3 holes design, with 3 sets screws and nuts: Length: 15.5mm. Salt spray resistance test: more than 5 years Suspension. Suitable for bungees Design same as third generation of TEAM WENDY. Four colors: Black/Sandy/Ranger Green/Coyote 	

Rails	MICH	LAA-RL-1	<ol style="list-style-type: none"> 1. Side rail material: Durable PA polymer with glass fiber, strong and light weight. 2. No spray paint 3. Not equipped with bungees and buckles 4. One size fits all 5. Four colors: Black/Sandy/Ranger Green/Coyote 		
	MICH	LAA-RL-2	<ol style="list-style-type: none"> 1. Side rail material: Durable PA polymer with glass fiber, strong and light weight. 2. Spray paint 3. Can equipped with bungees and buckles 4. One size fits all 5. Four colors: Black/Sandy/Ranger Green/Coyote 		
	FAST	LAA-RL-3	<ol style="list-style-type: none"> 1. Side rail material: Durable PA polymer with glass fiber, strong and light weight. 2. Spray paint 3. Can equipped with bungees and buckles 4. One size fits all paint spraying 5. Accessories slide into the Picatinny, Picatinny quickly attaches or releases from the rail system. 6. Use for normal FAST helmet 7. Four colors: Black/Sandy/Ranger Green/Coyote 		
	FAST	LAA-RL-4	<ol style="list-style-type: none"> 1. Side rail material: Durable PA polymer with glass fiber, strong and light weight. 2. Spray paint 3. Can equipped with bungees and buckles 4. One size fits all paint spraying 5. Accessories slide into the Picatinny, Picatinny quickly attaches or releases from the rail system. 6. Use for high cut helmet 7. Four colors: Black/Sandy/Ranger Green/Coyote 		
			Other designs, please quote the salers.		
Bungees	MICH/FAST	LAA-BG-1	<ol style="list-style-type: none"> 1. Each set two pcs. 2. Use along with rails. 3. Elastic string with hardened manganese steel hook. 4. Four colors: Black/Sandy/Ranger Green/Coyote 		
Rails Adapter	MICH/FAST	LAA-RA-1	<ol style="list-style-type: none"> 1. Standard size for all rails. 2. Can add accessories to the Picatinny. 3. Each set two pcs. 4. Four colors: Black/Sandy/Ranger Green/Coyote, same color as rails 		
Liner (Including velcro)	MICH/FAST	LAA-LN-1	<ol style="list-style-type: none"> 1. 7 PADS liner system 2. Memory foam and EVA 3. Comfortable to wear on the head 4. 20pcs velcro (with hooks) 5. Colors: Black/ Ranger Green 		
	FAST	LAA-LN-2	<ol style="list-style-type: none"> 1. 5 EPP PADS use together with FAST normal suspension 2. EPP and Memory foam (3 seconds rebound) 3. Comfortable to wear on the head 4. 10pcs velcro (with hooks) 5. Color: Black 		
	MICH/FAST	LAA-LN-3	<ol style="list-style-type: none"> 1. Each set three parts, with attachable smaller pads 2. Memory foam 3. Comfortable and easy to adjust the size by using optional smaller pads 4. 12pcs velcro (with hooks) 5. Colors: Black / Coyote+Black 		
Velcro Loop Kit	MICH	LAA-VC-1	<ol style="list-style-type: none"> 1. Overhead Velcro loop kit 2. Can use in the temperature ranges from -15 to 65°C 4. Each set 9 parts, use for MICH helmet 3. Four colors: Black/Sandy/Ranger Green/Coyote 		
	FAST	LAA-VC-2	<ol style="list-style-type: none"> 1. Overhead Velcro loop kit 2. Can use in the temperature ranges from -15 to 65°C 4. Each set 7 parts, use for FAST helmet 3. Four colors: Black/Sandy/Ranger Green/Coyote 		
	TW	LAA-VC-3	<ol style="list-style-type: none"> 1. Overhead Velcro loop kit 2. Can use in the temperature ranges from -15 to 65°C 4. Each set 4 parts, use for helmet same as TEAM WENDY 3. Four colors: Black/Sandy/Ranger Green/Coyote 		
Screws	MICH/FAST	LAA-SC-1	<ol style="list-style-type: none"> screw length :25mm*4 Pass salt spray test for more than 5 years 		
	MICH/FAST	LAA-SC-2	<ol style="list-style-type: none"> screw length :15.5mm*3 Pass salt spray test for more than 5 years 		